RESOLUTION OF THE WASHINGTON TOWNSHIP MUNICIPAL UTILITIES AUTHORITY TO APPROVE THE EMERGENCY SEWER REPAIR AT 251 WOODBURY-TURNERSVILLE ROAD IN AN AMOUNT NOT TO EXCEED \$8,100.00

WHEREAS, the Washington Township Municipal Utilities Authority ("Authority") a duly constituted public body in the County of Gloucester, State of New Jersey, has determined that there exists the need to approve the emergency sewer repair at 251 Woodbury-Turnersville Road in an amount not to exceed \$8,100.00; and

WHEREAS, the Authority finds that there was an emergency that affected the health, safety and welfare of the public which required the immediate delivery of services. The Authority also finds that the emergency repair was not reasonably foreseeable; and

WHEREAS, the Authority has approved the emergency sewer repair at 251 Woodbury-Turnersville Road in an amount not to exceed \$8,100.00, to be charged from Budget Account number 2-01-01-200-613 by proper motion.

NOW, THEREFORE BE IT RESOLVED, by the Authority, County of Gloucester, and State of New Jersey, that the Authority has approved the emergency sewer repair at 251 Woodbury-Turnersville Road in an amount not to exceed \$8,100.00.

CERTIFICATE OF AVAILABLE FUNDS

I, Elizabeth S. Rogale, Authority Deputy Executive Director/Chief Financial Officer, hereby certify that the funds as stated in this Resolution are available to the Authority. The Budget Account number to be charged is 2-01-01-200-613.

Dated: 3/28/25

Elizabeth S. Rogale, Deputy Executive Director/CFO

CRoga 6

ADOPTED by Washington Township Municipal Utilities Authority on March 28, 2022.

ATTEST:

Washington Township Municipal Utilities Authority

Matt Gorman Secretary

RESOLUTION OF THE WASHINGTON TOWNSHIP MUNICIPAL UTILITIES AUTHORITY TO APPROVE THE EMERGENCY REPAIR OF 8" WATER MAIN AT 219 GANTTOWN ROAD IN AN AMOUNT NOT TO EXCEED \$15,000.00

WHEREAS, the Washington Township Municipal Utilities Authority ("Authority") a duly constituted public body in the County of Gloucester, State of New Jersey, has determined that there exists the need to approve the emergency repair of an 8" water main at 219 Ganttown Road in an amount not to exceed \$15,000.00; and

WHEREAS, the Authority finds that there was an emergency that affected the health, safety, and welfare of the public which required the immediate delivery of services. The Authority also finds that the emergency repair was not reasonably foreseeable; and

WHEREAS, the Authority has approved the emergency repair of an 8" water main at 219 Ganttown Road in an amount not to exceed \$15,000.00, to be charged from Budget Account number 2-01-02-200-613 by proper motion.

NOW, THEREFORE BE IT RESOLVED, by the Authority, County of Gloucester, and State of New Jersey, that the Authority has approved the emergency repair of an 8" water main at 219 Ganttown Road in an amount not to exceed \$15,000.00.

CERTIFICATE OF AVAILABLE FUNDS

I, Elizabeth S. Rogale, Authority Deputy Executive Director/Chief Financial Officer, hereby certify that the funds as stated in this Resolution are available to the Authority. The Budget Account number to be charged is 2-01-02-200-613.

Dated: 3/28/22

Elizabeth S. Rogale, Deputy
Executive Director/CFO

ADOPTED by Washington Township Municipal Utilities Authority on March 28, 2022.

ATTEST: Washington Township Municipal Utilities Authority

latt Gorman, Secretary Rich Silvesti, Chairman

RESOLUTION OF THE WASHINGTON TOWNSHIP MUNICIPAL UTILITIES AUTHORITY TO APPROVE THE EMERGENCY REPAIR OF 8" SEWER MAIN AT 819 JAMESTOWN ROAD IN AN AMOUNT NOT TO EXCEED \$6,500.00

WHEREAS, the Washington Township Municipal Utilities Authority ("Authority") a duly constituted public body in the County of Gloucester, State of New Jersey, has determined that there exists the need to approve the emergency repair of an 8" sewer main at 819 Jamestown Road in an amount not to exceed \$6,500.00; and

WHEREAS, the Authority finds that there was an emergency that affected the health, safety, and welfare of the public which required the immediate delivery of services. The Authority also finds that the emergency repair was not reasonably foreseeable; and

WHEREAS, the Authority has approved the emergency repair of an 8" sewer main at 819 Jamestown Road in an amount not to exceed \$6,500.00, to be charged from Budget Account number 2-01-01-200-613 by proper motion.

NOW, THEREFORE BE IT RESOLVED, by the Authority, County of Gloucester, and State of New Jersey, that the Authority has approved the emergency repair of an 8" sewer main at 819 Jamestown Road in an amount not to exceed \$6,500.00.

CERTIFICATE OF AVAILABLE FUNDS

I, Elizabeth S. Rogale, Authority Deputy Executive Director/Chief Financial Officer, hereby certify that the funds as stated in this Resolution are available to the Authority. The Budget Account number to be charged is 2-01-01-200-613.

Dated: 3 /28/22	4 Rogal
	Elizabeth S. Rogale, Deputy
	Executive Director/CFO

ADOPTED by Washington Township Municipal Utilities Authority on March 28, 2022.

ATTEST:

Washington Township Municipal
Utilities Authority

Matt Gorman, Secretary

Rich Silvesti, Chairman

RESOLUTION OF THE WASHINGTON TOWNSHIP MUNICIPAL UTILITIES AUTHORITY TO APPROVE THE EMERGENCY REPAIR OF 4" SEWER LATERAL AT 1021 MERRYMOUNT AVENUE SOUTH IN AN AMOUNT NOT TO EXCEED \$5,500.00

WHEREAS, the Washington Township Municipal Utilities Authority ("Authority") a duly constituted public body in the County of Gloucester, State of New Jersey, has determined that there exists the need to approve the emergency repair of a 4" sewer lateral at 1021 Merrymount Avenue South in an amount not to exceed \$5,500.00; and

WHEREAS, the Authority finds that there was an emergency that affected the health, safety, and welfare of the public which required the immediate delivery of services. The Authority also finds that the emergency repair was not reasonably foreseeable; and

WHEREAS, the Authority has approved the emergency repair of a 4" sewer lateral at 1021 Merrymount Avenue South in an amount not to exceed \$5,500.00, to be charged from Budget Account number 2-01-01-200-613 by proper motion.

NOW, THEREFORE BE IT RESOLVED, by the Authority, County of Gloucester, and State of New Jersey, that the Authority has approved the emergency repair of a 4" sewer lateral at 1021 Merrymount Avenue South in an amount not to exceed \$5,500.00.

CERTIFICATE OF AVAILABLE FUNDS

I, Elizabeth S. Rogale, Authority Deputy Executive Director/Chief Financial Officer, hereby certify that the funds as stated in this Resolution are available to the Authority. The Budget Account number to be charged is 2-01-01-200-613.

Dated: 3/38/32

Elizabeth S. Rogale, Deputy
Executive Director/CFO

ADOPTED by Washington Township Municipal Utilities Authority on March 28, 2022.

ATTEST:

Washington Township Municipal Utilities Authority

Matt Gorman, Secretary

RESOLUTION OF THE WASHINGTON TOWNSHIP MUNICIPAL UTILITIES AUTHORITY TO APPROVE THE EMERGENCY REPAIR OF 8" SEWER MAIN AT THE INTERSECTION OF WESTMINSTER BOULEVARD AND WHITE BIRCH ROAD IN AN AMOUNT NOT TO EXCEED \$20,000.00

WHEREAS, the Washington Township Municipal Utilities Authority ("Authority") a duly constituted public body in the County of Gloucester, State of New Jersey, has determined that there exists the need to approve the emergency repair of an 8" sewer main at the intersection of Westminster Boulevard and White Birch Road in an amount not to exceed \$20,000.00; and

WHEREAS, the Authority finds that there was an emergency that affected the health, safety, and welfare of the public which required the immediate delivery of services. The Authority also finds that the emergency repair was not reasonably foreseeable; and

WHEREAS, the Authority has approved the emergency repair of an 8" sewer main at the intersection of Westminster Boulevard and White Birch Road in an amount not to exceed \$20,000.00, to be charged from Budget Account number 2-01-01-200-613 by proper motion.

NOW, THEREFORE BE IT RESOLVED, by the Authority, County of Gloucester, and State of New Jersey, that the Authority has approved the emergency repair of an 8" sewer main at the intersection of Westminster Boulevard and White Birch Road in an amount not to exceed \$20,000.00.

CERTIFICATE OF AVAILABLE FUNDS

I, Elizabeth S. Rogale, Authority Deputy Executive Director/Chief Financial Officer, hereby certify that the funds as stated in this Resolution are available to the Authority. The Budget Account number to be charged is 2-01-01-200-613.

Dated: 3 138 133 Elizabeth S. Rogale, Deputy Executive Director/CFO

ADOPTED by Washington Township Municipal Utilities Authority on March 28, 2022.

ATTEST:

Washington Township Municipal Utilities Authority

Matt Gorman, Secretary

RESOLUTION 2022 - 036

BE IT RESOLVED by the Washington Township Municipal Utilities Authority, that pursuant to the Authority granted by Ordinance 14 -1986, said Authority hereby declares that water conservation will exist requiring the implementation of a partial curtailment of all nonessential water use as defined below:

1. All nonessential use, including, but not limited to, the sprinkling of lawns, washing of cars, and filling of pools is hereby prohibited during the hours of 11 A.M. through 6 P.M. each and every day, seven days per week.

ODD/EVEN CALENDAR DAY SYSTEM

Watering may take place from 12:00 A.M. to 11:00 A.M. and 6:00 P.M. to 12:00 A.M. based on an odd/even calendar day system which has been established on a geographical basis as detailed by the attached map and made part of this Resolution.

*YOU MAY USE WATER ON ODD NUMBERED CALENDAR DAYS FROM 12:00 A.M. to 11:00 A.M. and from 6:00 P.M to 12:00 A.M. if your residence is located to the EAST SIDE of Egg Harbor Road.

- ** YOU MAY USE WATER ON EVEN NUMBERED CALENDAR DAYS FROM 12:00 A.M. to 11:00 A.M. and from 6:00 P.M. to 12:00 A.M. if your residence is located to the WEST SIDE of Egg Harbor Road.
- Specifically exempt from the foregoing regulations are commercial car washes, power washing businesses, and contractors who use water in daily work such as mason and contractors using water to test newly constructed lines.
- Commercial nurseries/garden centers may use water every day except between the hours of 11:00 A.M and 6:00 P.M.
- 4. Restaurants shall not serve water unless specifically requested by the customers.
- All developers are to be directed to cease installing sod as of May 1, 2022. Sod installed prior to that date will be capable of being watered for 30 days, a period adequate to get the sod rooted. The builders may start to install sod again on September 15, 2022. The County Soil Conservation District has directed the builders to install straw or salt hay to stabilize the soil between the dates of May 1, 2022 and September 15, 2022.
- The above regulations will be effective between May 1, 2022 and September 15, 2022.

BE IT FURTHER RESOLVED that this Resolution is specifically intended to revoke all previous regulations, Resolutions, or agreements regarding nonessential use of water within the Township of Washington.

BE IT FURTHER RESOLVED that these restrictions are superseded by the NJ State Water Restrictions.

Matt Gorman

Secretary/Treasurer

Rich Silvesti Chairman

DATED: March 28, 2022

This Resolution was adopted at a meeting of the Washington Township Municipal Utilities Authority on March 28, 2022.

Secretary/Treasurer

RESOLUTION OF THE WASHINGTON TOWNSHIP MUNICIPAL UTILITIES AUTHORITY TO AMEND THE 2022 MUA YEARLY SALARY RESOLUTION TO REFLECT PART-TIME AS \$16.00 PER HOUR

WHEREAS, the Washington Township Municipal Utilities Authority ("Authority"), a duly constituted public body in the County of Gloucester, State of New Jersey, previously adopted the 2022 MUA Yearly Salary Resolution for employees' positions for 2022; and

WHEREAS, the Authority has proposed to amend the updated salary ranges for 2022 to reflect part-time employees' rate of pay as \$16.00 per hour.

NOW, THEREFORE BE IT RESOLVED, by proper motion at a duly-noticed public meeting that the Authority approves to amend the 2022 MUA yearly salary resolution to reflect part-time employees' rate of pay as \$16.00 per hour.

ADOPTED by Washington Township Municipal Utilities Authority on March 28, 2022.

ATTEST:	Washington Township Municipal Utilities Authority
Matt Gorman, Secretary	Rich Silvesti, Chairman

RESOLUTION OF THE WASHINGTON TOWNSHIP MUNICIPAL UTILITIES AUTHORITY TO ENTER INTO A CLOSED SESSION TO DISCUSS PERSONNEL MATTERS

WHEREAS, the Washington Township Municipal Utilities Authority ("Authority"), a duly constituted public body in the County of Gloucester, State of New Jersey, has determined there is a need to discuss the following subject(s) in closed session:

Personnel Matters.

NOW, THEREFORE BE IT RESOLVED, upon proper motion and vote at a public meeting by the Washington Township Municipal Utilities Authority, in the County of Gloucester, State of New Jersey as follows:

- 1. The Authority entered into closed session to discuss the topic(s) above on March 28, 2022.
- 2. The closed session minutes may be made available to the public shortly after the Authority adopts them by proper motion and vote.

ADOPTED by Washington Township Municipal Utilities Authority on March 28, 2022.

ATTEST:

Washington Township Municipal
Utilities Authority

Matt Gorman, Secretary

RESOLUTION OF THE WASHINGTON TOWNSHIP MUNICIPAL UTILITIES AUTHORITY APPROVING KENNETH DANLEY TO MOVE FROM REPAIRMAN I TO REPAIRMAN II WITH SALARY INCREASE FROM \$46,125.00 TO \$48,687.50 PER YEAR EFFECTIVE APRIL 4, 2022

WHEREAS, the Washington Township Municipal Utilities Authority ("Authority"), a duly constituted public body in the County of Gloucester, State of New Jersey, has determined that there exists the need to move Kenneth Danley from Repairman I to Repairman II; and

WHEREAS, the Authority, by proper motion, desires to move Kenneth Danley from Repairman I to Repairman II with a salary increase from \$46,125.00 to \$48,687.50, effective April 4, 2022.

NOW, THEREFORE BE IT RESOLVED, by proper motion, the Washington Township Municipal Utilities Authority, County of Gloucester, and State of New Jersey has approved the move of Kenneth Danley from Repairman I to Repairman II with a salary change from \$46,125.00 to \$48,687.50, effective April 4, 2022.

ADOPTED by Washington Township Municipal Utilities Authority on March 28, 2022.

ATTEST:

Washington Township Municipal Utilities Authority

Matt Gorman, Secretary

RESOLUTION OF THE WASHINGTON TOWNSHIP MUNICIPAL UTILITIES AUTHORITY TO APPROVE THE POSITION DESCRIPTIONS FOR EXECUTIVE DIRECTOR/CHIEF FINANCIAL OFFICER

WHEREAS, the Washington Township Municipal Utilities Authority, a duly constituted public body in the County of Gloucester, State of New Jersey ("Authority"), has determined there is a need to define the position descriptions of Executive Director/Chief Financial Officer.

NOW, THEREFORE BE IT RESOLVED, upon proper motion and vote at a public meeting by the Washington Township Municipal Utilities Authority, in the County of Gloucester, State of New Jersey as follows:

1. The Authority is authorized to approve the position descriptions of Executive Director/Chief Financial Officer.

ADOPTED by Washington Township Municipal Utilities Authority on March 28, 2022

ATTEST:

Washington Township Municipal Utilities Authority

Matt Gorman, Secretary

Rich Silvesti, Chairman